

Kreisregner Messing 3/4" Außengewinde 4,8 mm Typ RC 130 (0630089)



REBER
Bewässerungssysteme

TECHNISCHE DATEN

Typ	RC 130
Werkstoff	Messing
Anschluss	Außengewinde
Capacity 3bar	1,54 m ³ /h
Capacity 4bar	1,77 m ³ /h
Capacity 5bar	1,95 m ³ /h
Maß	3/4"
Düsen	4,8 mm
Radius 3bar	16 m
Radius 4bar	16,1 m
Radius 5bar	17,1 m

Type RC 130																	
4,0mm			4,6mm			4,8mm			4,0mm x 2,4mm			4,4mm x 2,4mm			4,8mm x 3,2mm		
Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D
2,5	0,95	26,0	2,5	1,15	27,0	2,5	1,40	30,0	2,5	1,35	26,0	2,5	1,55	27,0	2,5	2,05	30,0
3,5	1,15	27,0	3,5	1,38	28,4	3,5	1,67	30,8	3,5	1,60	27,0	3,5	1,80	28,4	3,5	2,40	30,8
4,5	1,30	27,5	4,5	1,55	29,4	4,5	1,87	31,8	4,5	1,76	27,5	4,5	2,03	29,4	4,5	2,75	31,8

Generiert am: 21.02.2026

Reber Beregnung GmbH
Gottlieb Daimler Str. 2
67227 Frankenthal
Deutschland



REBER
Bewässerungssysteme

+49 (0) 6233 3772 - 0
info@reberberegnung.de
<http://www.reberberegnung.de>



REBER
Bewässerungssysteme